

FORCE-LIFT® LIFTING THE LIMITS.

The first and only intuitively operated vacuum tube lifter.



THERE WAS STILL SPACE FOR IMPROVEMENT. WE USED IT.

OUR ALLROUNDER FOR MANY INDUSTRIES

The FORCE-LIFT® enriches in almost every sector.



LOGISTICS & PACKAGING

ELECTRICAL INDUSTRY.

Intra- and distribution logistics, shipping of packages, raw material in bags, barrels and canisters.



SHEET METAL AND PLASTIC PROCESSING

Loading and unloading of machining equipment with parts and handling of metal and plastic assemblies.



Production and loading of electrical components, rough and smooth wooden elements, furniture.

WOOD AND FURNITURE INDUSTRY



OTHER INDUSTRIES. including the food industry, pharmaceutical industry, glass processing



Production and loading of bags, drums, canisters, glass and windows.














FORCE-LIFT

All BENEFITS AT A GLANCE.

- (+) up to 75 kg load capacity with one-hand operation
- (+) intuitive operation and control
- (+) percect handling of airtight as well as porous material
- (+) floating function with or without a transport item
- (+) ergonomic shape and aesthetic design

FOLLOWS YOUR INTUITION.



The FORCE-LIFT® is the first and only tube lifter that adapts to intuitive operator behaviour and not vice versa, thanks to the Natural Motion Control unit.

This means that pressing the controls activates the function, i.e. lifting the tube lifter. To lower the load, the controls are released, smoothly and precisely.

This minimizes operating errors and reduces injuries. In addition, the FORCE-LIFT® is also suited for employees who perform these tasks only occasionally. Routine is not necessary for operation.

FOR POROUS AND FRAGMENTARY TRANSPORT GOODS.

Boxes bags, wood or checker plate? Easy for the all-rounder of vacuum technology!

Quick-change suction feet allow the handling of airtight as well as porous materials with only one device, e.g. boxes, barrels, sacks, canisters, sheets or wooden elements.

In combination with the VUSS area gripper technology, workpieces with recesses, countersinks and grooves such as checker plates, perforated plates or rough-sawn wood can also be suctioned and transported.



75 KILOGRAM. ALL THAT ONE-HANDED.



You don't need power, as it has enough.


The FORCE-LIFT® is the strongest one-hand tube lifter on the market.

By carrying up to 75 kg, depending on the goods being transported, this all-rounder masters heavy and light lifting tasks at the same time. In addition, it is equally suitable for left- and right-handers.

Transporting has never been so easy.

The FORCE-LIFT® can remain freely suspended in a parking position, with or without the aspirated material.

The rotation and swiveling function makes it very easy to maneuver transport goods.







ERGONOMIC WORK MOTIVATES AND ECONOMIZES.

Energy-sapping work processes are a thing of the past: The new and simple workflows with the FORCE-LIFT® relieve and motivate employees equally.

It guarantees an easy activity, that is gentle on the joints - even with repetitive movements.

The health of your employees is preserved as well as sick days and costs are minimized.

YOUR BENEFITS USING THE FORCE-LIFT®:



saves your



gentle on joints and health preservation



increasing motivation & productivity



minimizing sick leave















THERE IS MORE TO DISCOVER. ALL FUNCTIONS AT A GLANCE.

Quick-Release-Function

For a maximum of safety, the transport item can be released quickly, but only intentionally.

This disconnection of the functions during the suction process is unique.

- Intuitive lifting & lowering
 In a smooth and precise way.
- For left- and right-handers
 The design of the controls allows operation with both hands.
- Quick-Change Coupling
 Transporting boxes now and barrels later?
 No problem thanks to the quick-change coupling, which allows the suction foot to be changed without tools and in seconds.

360° Rotation Function

The 360° rotation function enables endless, horizontal rotation of the goods to be transported and thus precise positioning. The rotation is performed manually and smoothly.

90° Swiveling Function

The material to be transported can be manually picked up vertically and positioned horizontally - perfect for transferring goods, such as when picking boxes.

Precisely leaded with just one hand.

The light operating element is located above the material to be transported and is thus guided directly and specifically with one hand. The second hand can be used to lead the transport material.

SUCTION FOOT VARIETY. THE RIGHT SUCTION FOOT FOR EVERY MATERIAL.

The suction feet can be exchanged within seconds without tools - the quick-change coupling makes this possible. There is a choice of different suction feet that cover almost every material. Select the suction foot that is suitable for your transport item:








SUITABLE FOR:

air permeable surfaces

- boxes
- wood (natural wood, OSB, MDF)

closed surfaces

- metal parts
- glass
- coated wood
- plastic parts



Bag suction foot



SUITABLE FOR:

- bags

Round suction foot





SUITABLE FOR:

closed surfaces

- barrels
- container
- tons

Area gripper suction foot







SUITABLE FOR:

air permeable surfaces

- with recesses, grooves, countersinks
- deburring parts
- aingle part elements
- several workpieces at the same time

Hook / canister foot





SUITABLE FOR:

- canister
- bucket
- -cans

INDIVIDUALLY CONFIGURED.


A wide range of components and extensions are available for the FORCE-LIFT®, tailored to your individual requirements and area of application.

Together with you, we configure the optimal combination of suction foot, lifting tube and crane system from our modular system.


Surfaces Air permeable surfaces, closed surfaces Boxes, metal parts, plastic parts, glass, wood (natural wood, coated wood), bags, buckets, canisters, barrels Double rectangular suction foot, Bag suction foot, Round suction foot, Area gripper suction foot, Hook / canister foot Load capacity Up to 75 kg Pump, blower > 150 mm Column slewing cranes, Wall-mounted cranes, Ceiling rail systems

CRANE SYSTEMS.


According to your individual requirements, we offer the suitable crane system for your FORCE-LIFT® configuration:




Column-mounted slewing crane



Mobile column slewing crane



Column slewing crane with knuckle boom



Wall-mounted slewing crane

Wall-mounted slewing crane with knuckle boom

J. J J J J J .

Ceiling rail system

TECHNICAL SPECIFICATIONS.

Load capacity maximum

75 kg Possible transport goods Boxes, bags, buckets, canisters, barrels, and more.

2,4 kg Own weight operating head

Ø100 mm. Ø120 mm or Ø160 mm Lifting tube diameter Pump VAL 50T, VAL 80T | Blower: 3 kW Vacuum generator Noise level Pump 55 dB(A) | Blower: 74-80 dB(A)

IP protection class IP 31

BORN FOR THE VERY BIG STAGE.

Get the experience of the FORCE-LIFT® in our informative product film and in our exciting movie.









Movie









AERO-LIFT Vakuumtechnik GmbH

Turmstr. 1 72351 Geislingen-Binsdorf Germany

Phone: +49 (0) 74 28 / 94 514 - 0

info@aero-lift.de www.aero-lift.de